



Product Service

CERTIFICATE

No. Z1 17 07 12881 235

Holder of Certificate: Zarges GmbH

Zargesstr.7
82362 Weilheim
GERMANY

Production Facility(ies):

36773

Certification Mark:



Product:

**Extending Ladders
2-part extending ladders**

Model(s):

Article-Number:
44834, 44820, 44822, 44824,
44826, 44828
49758, 49760, 49762, 49764, 49766,
49768, 49770 / 5497 709
49841 / 5498 411, 5498 439,
49844 / 5498 441, 49846,
49847 / 5498 471 / 5498 479,
49848, 5498 491 / 5498 499

Parameters:

max. load: 150 kg

Further parameter see attachments.

Tested according to:

DIN EN 131-1:2016
DIN EN 131-2:2017
DIN EN 131-3:2007
EK5/AK1 17-1:2017

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.:

028-713102252-017

Valid until:

2022-07-23

Date, 2017-08-10


(Stephen Veit)

Page 1 of 4





Parameter for extending ladders 2-part

Z 200	extending ladders 2-parts	
max. load :	150 kg	
art-no.	no. of rungs	traverse
44834:	2 x 8	58 x 25 x 1,2 / 790 mm
44820:	2 x 10	58 x 25 x 1,2 / 890 mm
44822:	2 x 12	58 x 25 x 1,2 / 990 mm
44824:	2 x 14	73 x 25 x 1,2 / 1085 mm
44826:	2 x 16	73 x 25 x 1,2 / 1200 mm
44828:	2 x 18	73 x 25 x 1,2 / 1200 mm
rungs	stiles	rungs
44834:	58,4 x 25,4 x 1,2 mm	38 x 38,3 mm x 1,3 / 1,6 mm
44820-44822:	68,4 x 25,4 x 1,2 mm	
44824-44826:	85,4 x 25,4 x 1,2 mm	
44828:	85,4 x 25,4 x 1,2 / 2,0 mm	
material:	EN AW 6063	EN AW 6063



Parameter for extending ladders 2-part

Z 100	extending ladders 2-parts		
max. load	:	150 kg	
art-no.	no. of rungs		traverse
49758:	2 x 8		58 x 25 x 1,2 / 790 mm
49760:	2 x 10		58 x 25 x 1,2 / 890 mm
49762:	2 x 12		58 x 25 x 1,2 / 990 mm
49764:	2 x 14		73 x 25 x 1,2 / 1085 mm
49766:	2 x 16		73 x 25 x 1,2 / 1200 mm
49768:	2 x 18		73 x 25 x 1,2 / 1200 mm
49770 / 5497 709:	2 x 20		73 x 25 x 1,2 / 1200 mm
rungs	stiles		rungs
49758-60:	58,4 x 25,4 x 1,2 mm		38 x 38,3 mm x 1,3 / 1,6 mm
49762:	68,4 x 25,4 x 1,2 mm		
49764-49766 / 49768 OL:	85,4 x 25,4 x 1,2 mm		
49768 UL:	85,4 x 25,4 x 1,2 / 2,0 mm		
49770 / 5497 709:	98 x 25 x 1,5 / 1,7 mm		
material:	EN AW 6063		EN AW 6063



Parameter for extending ladders 2-part

Z 100	extending ladders 2-parts, width version	
max. load :	150 kg	
art-no.	no. of rungs	traverse
49841 / 5498 411:	2 x 10	58 x 25 x 1,2 / 1085 mm
5498 439:	2 x 13	73 x 25 x 1,2 / 1085 mm
49844 / 5498 441:	2 x 14	73 x 25 x 1,2 / 1200 mm
49846:	2 x 16	73 x 25 x 1,2 / 1200 mm
49847 / 5498 471 / 5498 479:	2 x 17	73 x 25 x 1,2 / 1200 mm
49848:	2 x 18	73 x 25 x 1,2 / 1200 mm
5498 491 / 5498 499:	2 x 19	73 x 25 x 1,2 / 1200 mm
rungs	stiles	rungs
49841 / 5498 411:	68,4 x 25,4 x 1,2 mm	38 x 38,3 mm x 1,3 / 1,6 mm
5498 439:	73,4 x 25,4 x 1,2 mm	
49844-46 / 5498 441 /		
5498 479 OL / 5498 471 OL:	85,4 x 25,4 x 1,2 mm	
49848 / 49847 UL /		
5498 479 UL / 5498 471 UL:	85,4 x 25,4 x 1,2 / 2,0 mm	
5498 491 / 5498 499:	98 x 25 x 1,5 / 1,7 mm	
material:	EN AW 6063	EN AW 6063

Munich, 2017-09-10

Steffen Veit